

## SUPPLY CHAIN MANAGEMENT

Enquiries: Mr. Leighton Donkerman Ref: Tender 8/3/34-2025 Tel: (022) 913 6000 E-mail: donkermanl@bergmun.org.za

Enquiries: Ms. Casey-Lee Smit E-mail: scm@bergmun.org.za

As per e-mail:

Dear Sir /Madam

### **NOTICE TO BIDDERS**

#### **ADDENDUM 1:**

TENDER 8/3/34-2025 / MN191-2025: SUPPLY & DELIVERY OF PROTECTIVE CLOTHING & SAFETY FOOTWEAR FOR BERGRIVIER MUNICIPALITY FROM DATE OF APPOINTMENT FOR A PERIOD ENDING 30 JUNE 2028.

<u>Pursuant to the compulsory site meeting held on Tuesday, 23 September 2025 at 10H00</u> & 11H00, please find below the corrections of the following item specifications as discussed in the site meetings.

#### **SPECIFICATIONS**

Please take note that the images in the tender document are for illustration purposes ONLY and that unit prices per item should be quoted on the specifications of the items.

#### **SECTION A**

### ITEM 1.2: TWO-PIECE, SABS APPROVED ARC/ACID/FLAME NAVY OVERALLS

- ATPV 15cal/cm2
- 100% Cotton
- YKK concealed brass zip on jacket & pants
- Flame retardant Hook & Loop closures
- Full triple needle topstitched garment
- Flame retardant knitted rib cuffing Three jacket pockets with mitred flap, flame retardant Hook & Loop closure & side swing pockets on pants
- 50mm Flame retardant reflective tape on arms & legs
- Certificate of Conformity
- cal/cm2 Rating embroidery on jacket & pants



Figure 2 For Illustration purposes only



## **ITEM 4: SAFETY SHOES/BOOTS (Males & Females)**

The boots will be used by workers involved in routine Electrical maintenance. It is therefore required that the shoes offered against this tender must be suitable for this working environment.

- SURVIVE-ARC® E20300 or equivalent safety boot (non-metallic)
- Tan/black
- Full leather, non-metallic, safety half boot with laces, lining and padded collar
- Removable insole and puncture resistant textile midsole
- Boots must carry the SABS/SANS ISO 20345 certified mark
- Padded inside tongue
- Anti-bacterial/Anti-fungal and sweat absorbent vamp lining
- Must have eyelet loops and high abrasion resistant braided laces
- Product must be made with a flexible shank reinforcement for arch support
- Sweat absorbent and anti-bacterial Poron/EVA removable comfort energizer insole
- The sole to be non-slip, oil resistant, heat resistant to 300°c
- Should be tested for electric shock resistance (dry conditions) up to 20kv
- Must have an anti-penetration Kevlar midsole or equivalent
- Must be available in sizes 3-13 (Male UK) and 3-13 (Female UK)



# SECTION B

ITEM NO.	DESCRIPTION		
	Electrical Arc Proof gloves set		
	Specifications		
	Set consists of: Outer leather over gloves, CLASS 1 (10kV) electrical		
	insulating gloves and Inner 100% Cotton Gloves		
	Outer leather over gloves:		
	Should protect against potential hazards such as arc, cut, abrasion,		
	tear, puncture and flame.		
	Adjustable Velcro strap		
	Flexible & water repellent		
	chrome leather cuff		
	High resistance to flammability		
Reinforced keystone thumb and welted seams construction on the two mid			
	CLASS 1 (10kV) electrical insulating gloves:		
R – acid resistant, oil resistant, ozone-resistant C – resistant to			
1	extremely low temperatures		
	High flexibility preventing hand fatigue		
	Each glove is electrically tested & issued with an examination		
	certificate		
	360mm (±15mm) long		
	Inner 100% Cotton Gloves:		
	Machine knitted		
	GCOT/W – 7 gauge		
	Cotton blend ambidextrous		
	Knit construction stretches for excellent fit		
	Provides comfort and protection of the hand		
	Re-usable ambidextrous		
	Cotton blend		
	Winged thumb		
	Knit wrist cuff  APC Hand Hat		
	ARC Hard Hat		
	Specifications		
	Specifications		
	TYPE 1 white, non-vented industrial hard hat with UV (Ultraviolet),		
	inhibitor protector		
	Should protect against impact, penetration and exposure to high		
2	voltage conductors		
_	Dielectric protection up to 20,000 volts (phase to ground)		
	4-point quick fit suspension, with double straps for shock absorption		
	Adjustable Fast-Trac III rachet suspension		
	Fixed stitched sweat band		
	Side slots for integration with face and hearing protective equipment		
	<ul> <li>Medium shell, that is fully adjustable to fit head sizes between 52cm – 64cm (centimeters)</li> </ul>		
	Hard hat and visor to be separate but compatible to each other. (fasten-able)		



## Face shield

#### **Specifications**

Polycarbonate visor & brow guard carrier

- Elasticated adjustable headband
- Adjustable tilt & engagement mechanism
- Provides protection against flying objects, particles and chemical splashes.



The submission date for tender offers and samples will be extended to Friday, 17 October 2025 and MUST be deposited in the tender box at the Municipal Offices, 13 Church Street, Piketberg before 12h00. Late offers will not be accepted.



MUNICIPAL MANAGER:

their tender offer.

DATE: 09 10 2025

Note: Confirmation of the addendum			
CONFIRMA	ATION		
	person) hereby declare on behalf of	(Name and Surname of	
(Company's	s name), that I take note of the above ch I incorporate the changes.	nanges in the bidding documentation and that	
Address:		Tel no.:	
		Fax no	
Signature of bidder:		Date:	
NB: This	document must be completed by	the bidder (above) and submitted with	